

In re Patent Application of:  
**HWANG**  
Serial No. 10/567,807  
Filing Date: **FEBRUARY 8, 2006**

---

**Listing of Claims:**

This listing of claims replaces all prior versions and listing of claims in the application.

1. (Canceled).

2. (Canceled).

3. (New) An automatic control energy-saving lamp device comprising a plurality of lamps and a socket body having the lamps fixed to one side of the body and having a screw formed to the other side of the body, the device comprising:

an illumination sensor formed on the socket body for sensing a surrounding illumination;

a timer for controlling a lighting time of the lamps;

an infrared sensor mounted to one side of the lamps for sensing movement of a human; and

a lighting control circuit formed in the socket body, and controlling the lamps to be turned on/off according to output signals of the illumination sensor, the timer and the infrared sensor.

4. (New) The automatic control energy-saving lamp device according to claim 3, further comprising a base having the plurality of lamps fixed to one side of the base and having a combination unit formed on the other side of the base;

In re Patent Application of:  
**HWANG**  
Serial No. 10/567,807  
Filing Date: **FEBRUARY 8, 2006**

---

and a combination groove formed in the socket body to detachably combine with the combination unit.

5. (New) The automatic control energy-saving lamp device according to claim 3, further comprising a sensor support with a predetermined length; and high-illumination reflection shades surrounding the sensor support and coated by deposition of silver or aluminum, among the plurality of lamps.

6. (New) The automatic control energy-saving lamp device according to claim 5, wherein the infrared sensor is mounted on an end of the sensor support.

7. (New) The automatic control energy-saving lamp device according to claim 6, further comprising a detachable lamp cover made of plastic or glass.

8. (New) The automatic control energy-saving lamp device according to claim 7, wherein the infrared sensor protrudes outwardly through the center of the lamp cover.

9. (New) The automatic control energy-saving lamp device according to claim 3, wherein the illumination sensor is buried in the socket body as much as a predetermined depth in order not to receive a direct ray of light from the lamps.

In re Patent Application of:

**HWANG**

Serial No. 10/567,807

Filing Date: **FEBRUARY 8, 2006**

---

10. (New) The automatic control energy-saving lamp device according to claim 9, wherein the predetermined depth is 5mm.

11. (New) The automatic control energy-saving lamp device according to claim 3, wherein a number of the plurality of lamps is two to four.

12. (New) The automatic control energy-saving lamp device according to claim 11, wherein the lamps are vacuum bulbs coated with a 3-wave lamp fluorescent material.

13. (New) The automatic control energy-saving lamp device according to claim 3, wherein the lamps are U-shaped or I-shaped lamps.